




MARVEL

Commercial Robot Floor Cleaner for
Large & Complex Spaces



Recommended Coverage

>3,000 m² (32,292 ft²)



Ideal for

Retail/Supermarkets, Manufacturing Plants, Warehousing/Logistics Airports/Subway Stations, Hospitals, Shopping Malls

Key Features

Simultaneous Sweeping and Scrubbing

Performs sweeping and scrubbing simultaneously, completing two tasks in a single operation for maximum efficiency.

Patented Side Brush System

Front-mounted dual brushes sweep up both fine dust and large debris in one pass—delivering thorough edge-to-edge cleaning.

Effortless Remote Deployment

Equipped with 3D LiDAR for high-precision mapping, navigation, and positioning. Supports full remote deployment for easy setup and fleet management.

Automatic Water Tank Refresh

Features a self-cleaning waste water tank that minimizes manual maintenance and lowers operating costs.

Key Specifications*

Size (LxWxH)	1108×699×1168 mm 43.6×27.5×46.0 in
--------------	--------------------------------------

Net Weight	220 kg 485 lb
------------	-----------------

Cleaning Width	Scrubbing: 600 mm 23.6 in Sweeping: 840 mm 33.1 in Dust Mopping: 760 mm 29.9 in
----------------	---

Max. Speed	1.4 m/s 4.6 ft/s
------------	--------------------

Max. Cleaning Efficiency (Theoretical)	Scrubbing: 3,024 m²/h 32,550 ft²/h Sweeping: 4,234 m²/h 45,574 ft²/h Dust Mopping: 3,830 m²/h 41,226 ft²/h
--	--

Clean / Waste Water Tank	80 L / 70 L 21.1 gal / 18.5 gal
--------------------------	-----------------------------------

Min. Pass Width	850 mm 33.5 in
-----------------	------------------

Min. U-Turn width	1,300 mm 51.2 in
-------------------	--------------------

Gradeability	10°
--------------	-----

Runtime	Scrubbing: 5-7 h; Sweeping: ≥8 h; Dust Mopping: ≥10 h
---------	---

Battery Capability	120 Ah
--------------------	--------

* The specifications are derived from Gausium lab test results; actual performance data may vary in specific applications.

Get Ready to **Marvel**
at the Power of Clean.



better products
cleaner environment



KLENCO (MALAYSIA) SDN BHD 197301002873 (16323-V)
12, Jalan Sungai Jeluh 32/189, Bukit Naga Industrial Park, Seksyen 32,
40460 Shah Alam Selangor, Malaysia.



+603 5167 2226 / +6016 322 9886



malaysia@klenco-asia.com



www.klenco-asia.com



@Klenco Malaysia Sdn Bhd

© 2026 Gausium. All rights reserved.